	1 4 11 41		
	Application No.	Applicant(s)	
Notice of Allewshilling	10/047,001	DOETSCH ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Emmanuel Bayard	2631	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in the open of the community or other appropriate community of the co	nis application. If not included cation will be mailed in due course	. THIS e initiative
1. This communication is responsive to <u>12/6/04</u> .			
2. The allowed claim(s) is/are 1-12.			
3. A The drawings filed on 16 January 2002 are accepted by the	ne Examiner.		
4. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	e been received. e been received in Application of this communication to file a	Non this national stage application fro	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EXAM es reason(s) why the oath or de	INER'S AMENDMENT or NOTICE eclaration is deficient.	OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the such sheet. Replacement sheet(s) should be labeled as such in the deposit of the such sheet. Replacement sheet(s) should be labeled as such in the deposit of the such sheet. Replacement sheet(s) should be labeled as such in the deposit of the such sheet. Replacement sheet(s) should be labeled as such in the deposit of the such sheet.	son's Patent Drawing Review (- 's Amendment / Comment or in 1.84(c)) should be written on the che header according to 37 CFR bosit of BIOLOGICAL MATER	the Office action of drawings in the front (not the back) of 1.121(d). IAL must be submitted. Note the	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 3/24/05 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sum Paper No./Ma 08), 7. ☐ Examiner's An	mal Patent Application (PTO-152) mary (PTO-413), ail Date nendment/Comment atement of Reasons for Allowance	

Art Unit: 2631

DETAILED ACTION

This is in response to amendment filed on 12/6/04 in which claims 1-12 are pending. The applicant's arguments have been fully considered therefore this case is in condition for allowance.

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: the prior arts of record fail to anticipate or render obvious the following recited features: determining a frequency deviation between the first frequency and the second frequency <u>based on the de-spread received synchronization signal</u>; and fine-tuning the second frequency to the first frequency <u>based in part on the de-spread received synchronization signal</u> as recited in claim 1

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kaku U.S. patent No 6,104,748 teaches a spread spectrum signal receiving apparatus.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Bayard whose telephone number is 571 272

3016. The examiner can normally be reached on Monday-Friday (7:Am-4:30PM) Alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammed Ghayour can be reached on 571 272 3021. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Emmanuel Bayard. Primary Examiner Art Unit 2631

5/19/05

EMMANUEL BAYARD